

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY INSTRUCTIONS BEFORE OPENING OR USING**



# Eliminate Herbicide

**ACTIVE CONSTITUENT: 750 g/kg SULFOMETURON-METHYL**

<b>GROUP</b>	<b>B</b>	<b>HERBICIDE</b>
--------------	----------	------------------

**A water dispersible granule herbicide for control of certain perennial/annual grasses and broadleaf weeds in Commercial and Industrial areas, around Agricultural buildings and Rights of Way**

**IMPORTANT: READ THIS LEAFLET BEFORE USE**

APVMA Approval No.: 66088/52681



Crop Culture Pty Ltd  
ACN: 142 860 473  
Unit 9, 57-59 Horne Street  
Sunbury Vic 3429  
Ph: 0413 587 682  
Fax: 03 8888 9992  
[www.cropculture.com.au](http://www.cropculture.com.au)

**DIRECTIONS FOR USE****Restraints**

DO NOT apply Eliminate Herbicide to drainage ditches and channels.

DO NOT apply Eliminate Herbicide during periods of intense rainfall, or to soils saturated with water, as off-target movement may occur.

DO NOT store tank mixes of Eliminate Herbicide with other materials for more than 24 hours as product breakdown may occur.

DO NOT store a suspension of Eliminate Herbicide for more than 2 days as it may degrade, particularly in acid solutions.

**FOR ALL STATES**

SITUATION	WEEDS	RATE			CRITICAL COMMENTS
		Boom g/ha	Hand gun g/100 L	Knap sack g/15L	
Commercial & Industrial Areas, around Agricultural buildings, Rights-of-Way including roadsides, around guideposts, railways, power lines and telephone lines.	<b>Easy-to-kill Annual Weeds</b>  <b>Grasses</b> - Annual Ryegrass, Barnyard grass, Summer grass/Crab grass, Wild Oats, and Winter grass. <b>Broadleaf</b> - Blue Billygoat Weed, Capeweed, Corkscrew/Erodium, Paterson's Curse/Salvation Jane, Subterranean Clover and Turnip Weed  <b>Easy-to-Kill Perennial Weeds</b>  <b>Grasses</b> – Prairie grass <b>Broadleaf</b> - Dandelion, Dock, White Clove	200 or 400	20 or 40	3 or 6	For roadside applications confine treatment to the area between the edge of the bitumen and the roadside shoulder. For weeds advanced beyond the 4-leaf stage or when more rapid knockdown is required, tank mix with glyphosate herbicide in accordance with its label recommendations. Always add a surfactant - except when tank mixing with Glyphosate Herbicide. Use the higher rate for longer-term residual control. Use the higher rate plus Glyphosate Herbicide (in accordance with its label recommendations), for dense weed infestations and where weeds are greater than 15 cm in height or diameter. For handgun or knapsack application, apply the spray evenly to the required area. Spray to wet the foliage of the weeds present, but not excessively so as to cause run-off. Over application may reduce knockdown results and significantly increase period of residual control.
	<b>Hard-to-kill Annual Weeds</b>  <b>Grasses</b> - Rat's Tail Fescue, Squirrel Tail Fescue. <b>Broadleaf</b> - Black Thistle/Spear Thistle  <b>Hard-to-Kill Perennial Weeds</b>  <b>Grasses</b> - African Lovegrass, Columbus grass, Couch, Elastic grass, Guinea grass, Johnson grass, Kikuyu, Paspalum and Phalaris.	400 or 800	40 or 80	6 or 12	
Commercial & Industrial Areas, around Agricultural buildings, Rights-of-Way including roadsides, around guideposts, railways, power lines and telephone lines.	<b>Hard-to-kill Annual Weeds</b>  <b>Grasses</b> - Rat's Tail Fescue, Squirrel Tail Fescue. <b>Broadleaf</b> - Black Thistle/Spear Thistle  <b>Hard-to-Kill Perennial Weeds</b>  <b>Grasses</b> - African Lovegrass, Columbus grass, Couch, Elastic grass, Guinea grass, Johnson grass, Kikuyu, Paspalum and Phalaris.	200 or 400	20 or 40	3 or 6	For roadside applications confine treatment to the area between the edge of the bitumen and the roadside shoulder. Always tank mix with Glyphosate Herbicide in accordance with its label directions - a surfactant is not required. Use the higher rate plus Glyphosate Herbicide (in accordance with its label recommendations), for dense weed infestations and where weeds are greater than 15 cm in height or diameter. Use the higher rate for longer-term residual control. For handgun or knapsack application apply the spray evenly to the required area. Spray to wet the foliage of the weeds present, but not excessively so as to cause run-off. Over application may reduce knockdown results and significantly increase period of residual control.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED**

## GENERAL INSTRUCTIONS

Eliminate Herbicide is a soil residual herbicide with some knockdown action. It controls susceptible weeds through both post-emergence and pre-emergence (residual) action. Eliminate Herbicide may be applied pre-emergence or post-emergence to the weeds; best results are obtained if application is made before or during the early stages of weed growth. Adequate soil moisture is required for Eliminate Herbicide to be activated so it can provide optimum weed control. Under limited rainfall conditions, Eliminate Herbicide may not provide satisfactory control of hard-to-kill annuals and perennial weeds.

The higher use rates give longer-term residual control. The degree of control and duration of effect will vary with the rate of application, soil texture, organic matter content, soil pH, rainfall and other environmental conditions.

As soil pH increases the rate of Eliminate Herbicide breakdown decreases so that longest-term residual control is obtained on alkaline soils. As soil moisture increases the rate of Eliminate Herbicide breakdown increases, so that longest-term residual control is obtained when rainfall is low. As soil organic matter content increases the rate of Eliminate Herbicide breakdown increases, so that longest-term residual control is obtained in low organic matter soils.

### Spray Preparation

Eliminate Herbicide is a dry flowable formulation to be mixed with water and applied as a spray. Partially fill the spray tank with water. Using the graduated measuring cylinder provided, measure the amount of Eliminate Herbicide required for the area to be sprayed. DO NOT shake the Eliminate Herbicide down as the measuring cylinder is graduated for Eliminate Herbicide in an uncompacted state. Add the correct amount of Eliminate Herbicide to the spray tank with the agitation system engaged. Top up to the correct volume with water.

THE MATERIAL MUST BE KEPT IN SUSPENSION AT ALL TIMES BY CONTINUOUS AGITATION. (NB: The measuring cylinder provided is graduated in grams of Eliminate Herbicide ONLY. DO NOT use for measuring other materials.) In tank mixes, Eliminate Herbicide must be in suspension before adding the companion herbicide or surfactant. Where prepared spray solutions have been allowed to stand, thoroughly re-agitate before using.

### Use of Surfactant

Always add a 1000 g/L non-ionic surfactant at the rate of 0.25% v/v (250 mL/100 L) when Eliminate Herbicide is used alone. When Eliminate Herbicide is tank mixed with glyphosate herbicide, no surfactant addition is necessary.

### Spraying Equipment

DO NOT apply by aerial application equipment or mist spray application equipment.

### Boom Spray

Eliminate Herbicide is recommended for application by ground spraying equipment only. Use a boom spray (or off-centre nozzle if necessary) properly calibrated to a constant speed and rate of delivery to ensure thorough coverage and a uniform spray pattern and rate of application over the area to be treated. Apply a minimum of 50 L prepared spray/ha.

### Handgun/Knapsack

Wet the foliage of the weeds present but not excessively so as to cause run-off. Handgun - Use 1000-2000 litres of spray mix per hectare. Eliminate Herbicide residues in the spray tank can damage sensitive plants. Following an Eliminate Herbicide application the spray tank should not be used for other than non-crop applications.

### Compatibility

Eliminate Herbicide is compatible with diuron, bromacil, glyphosate and hexazinone.

### Sprayer Cleanup

Eliminate Herbicide residues in the spray tank can damage sensitive plants. It is recommended that a sprayer be dedicated to the use of Eliminate Herbicide. Where equipment is also used for crop spraying, it is particularly important that all traces of Eliminate Herbicide be removed from mixing and spraying equipment immediately after spraying.

The recommended sprayer cleanup is as follows:

1. Drain tank, then flush tank, boom, filters and hoses with clean water for a minimum of 10 minutes.

2. Fill the tank with clean water and add 300 mL chlorine bleach (containing 4% chlorine) per 100 L water. Flush through boom, filters and hoses, then allow to sit for 15 minutes with agitation engaged, then drain.
3. Repeat Step 2.
4. Nozzles and screens should be removed and cleaned separately. To remove traces of chlorine bleach, rinse the tank thoroughly with clean water and flush through boom, filters and hoses.

**CAUTION:** DO NOT use chlorine bleach with ammonia.

### RESISTANT WEEDS WARNING

GROUP	<b>B</b>	HERBICIDE
-------	----------	-----------

Eliminate Herbicide is a member of the sulfonylurea group of herbicides. Eliminate Herbicide has the ALS inhibitor mode of action. For weed resistance management Eliminate Herbicide is a Group B herbicide. Some naturally occurring weed biotypes resistant to Eliminate Herbicide and other ALS inhibitor herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Eliminate Herbicide or other ALS inhibitor herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Crop Culture Pty Ltd accepts no liability for any losses that may result from the failure of Eliminate Herbicide to control resistant weeds.

Strategies to minimise the risk of herbicide resistance are available. Consult your farm chemical supplier, consultants, local Department of Agriculture or Primary Industries, or local Crop Culture Pty Ltd representative.

### PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply to drainage ditches (including roadside ditches and table drains) and channels as some of the chemical may wash away in drainage water and be deposited in areas where it may cause damage to desirable trees and other plants. DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands, pastures, or onto agricultural land scheduled to be planted to crops or pastures, as injury to the crop or pasture may occur.

### PROTECTION OF LIVESTOCK

DO NOT graze treated areas or cut for stock food.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT apply or drain or flush equipment on or near desirable trees or other plants, or on areas where their roots extend, or in locations where the chemical may be washed or moved into contact with their roots. DO NOT contaminate any body of water by spraying, cleaning of equipment, disposal of waste, or run-off from treated areas. If accidental contamination does occur, the water must not be used for irrigation

### STORAGE AND DISPOSAL

During storage keep from contact with fertilisers, other pesticides and seeds. Store in the closed original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

### SAFETY DIRECTIONS

Will irritate the eyes, nose throat and skin. Avoid contact with eyes and skin. DO NOT inhale dust or spray mist. If product in eyes wash out immediately with water. When opening the container, preparing and using the product wear cotton overalls buttoned to the neck and wrist or equivalent clothing, elbow length chemical resistant gloves, goggles and half facepiece respirator. Wash hands after use. After each days use, wash gloves, goggles and respirator and contaminated clothing. If rubber wash with

detergent and warm water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone Australia 13 11 26.

**SAFETY DATA SHEET**

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier or from the manufacturer's website: [www.cropculture.com.au](http://www.cropculture.com.au)

**CONDITIONS OF SALE**

The use of Eliminate Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Crop Culture Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Crop Culture Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

In a Transport Emergency Dial 000 Police or Fire Brigade