

Section 1 - Identification of The Material and Supplier

Crop Culture Pty Ltd
Unit 9, 57-59 Horne St
Sunbury Vic 3429 Australia

Phone 0413 587 682
Fax: 03 8888 9992
www.cropculture.com.au

Chemical nature: Triclopyr is an aryloxyalkanoic acid derivative
Trade Name: **Triclops Herbicide**
APVMA Approval No.: 67456
Product Use: Herbicide for the control of various woody and broadleaf weeds
Creation Date: **June 2014**
This version issued: **July, 2016** and is valid for 5 years from this date.

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xi, Irritating. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

Risk Phrases: R43, R36/38, R50/53. May cause sensitisation by skin contact. Irritating to eyes and skin. Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

Safety Phrases: S13, S23, S26, S28, S29, S61, S62, S24/25, S36/37/39. Keep away from food, drink and animal feeding stuffs. Do not breathe mists or spray. In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre. After contact with skin, wash immediately with plenty of soap and water. Do not empty into drains. Avoid release to the environment. Refer to special instructions/Safety Data Sheets. If swallowed, do not induce vomiting: seek medical advice immediately and show this SDS. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated



GHS Signal word: DANGER

HAZARD STATEMENT:

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H320: Causes eye irritation.
- H335: May cause respiratory irritation.
- H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

- P261: Avoid breathing fumes, mists, vapours or spray.
- P264: Wash contacted areas thoroughly after handling.
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

- P362: Take off contaminated clothing and wash before reuse.
- P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P302+P352: IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313: If skin irritation occurs: Get medical advice.
- P337+P313: If eye irritation persists: Get medical advice.
- P391: Collect spillage.

SAFETY DATA SHEET

P370+P378: Not combustible. Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers to landfill.

Emergency Overview

Physical Description & colour: Amber to dark brown liquid.

Odour: No odour.

Major Health Hazards: The oral LD₅₀ of Triclopyr in rats ranges from 630 to 729 mg/kg, and is over 2000 mg/kg for various amine and ester formulated products. The dermal LD₅₀ for the technical material in rabbits is greater than 2000 mg/kg, and greater than 4000 mg/kg for the formulations. Inhalation of Triclopyr did not affect rats, but inhalation of some of the formulations did cause nasal irritation. These data indicate Triclopyr is harmful. Product is believed to be harmful if swallowed.

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long-term inhalation.

Skin Contact:

Short Term Exposure: Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition, product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long-term skin exposure.

Eye Contact:

Short Term Exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term Exposure: No data for health effects associated with long-term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long-term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No.	Conc. %	TWA (mg/m ³)	STEL (mg/m ³)
Triclopyr (present as the butoxyethyl ester)	55335-06-3	600 g/L	not set	not set
Other non-hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8-hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term 'peak' is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

SAFETY DATA SHEET

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product is classified as a C1 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: 95°C

Upper Flammability Limit: No data

Lower Flammability Limit: No data

Autoignition temperature: No data

Flammability Class: C1

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or watercourses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type A cartridge, suitable for organic vapours. Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area-preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under 'Storage' should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under 'Incompatibilities' in Section 10. Some

SAFETY DATA SHEET

liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits

TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Triclopyr (present as the butoxyethyl ester) is set at 0.005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, June 2013.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However, make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: There is no specific recommendation for any particular protective material type.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Amber to dark brown liquid
Odour:	No odour
Boiling Point:	About 150°C at 100kPa
Freezing/Melting Point:	No specific data - Liquid at normal temperatures
Volatiles:	No specific data - Expected to be low at 100°C
Vapour Pressure:	0.48 mPa (triclopyr butoxyethyl ester)
Vapour Density:	No data
Specific Gravity:	1.15 - 1.25
Water Solubility:	Emulsifiable
pH:	6 - 7 (1% in water)
Volatility:	No data
Odour Threshold:	No data
Evaporation Rate:	No data
Coeff Oil/water distribution:	No data
Autoignition temp:	>200°C

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

SAFETY DATA SHEET

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: An information profile for Triclopyr is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: The oral LD₅₀ of Triclopyr in rats ranges from 630 to 729 mg/kg, and is over 2000 mg/kg for various amine and ester formulated products. Other oral LD₅₀ values for Triclopyr are 550 mg/kg in the rabbit and 310 mg/kg in the guinea pig. Inhalation of Triclopyr did not affect rats, but inhalation of some of the formulations did cause nasal irritation. A similar result was seen when rabbit eyes were exposed. The technical material had only a slight effect on rabbit eyes, while some formulations caused significant eye irritation.

Chronic toxicity: Rats fed diets containing between 3 and 30 mg/kg/day of Triclopyr experienced no ill effects. Male rats fed much higher doses (100 mg/kg/day) had decreased liver and body weight and increased kidney weight. Male mice also showed reduced liver weight but at 60 mg/kg/day. Monkeys fed smaller doses of Triclopyr (20 mg/kg/day) showed no adverse effects.

Reproductive effects: Triclopyr fed to rabbits on days 6 to 18 of gestation at doses of 25, 50, and 100 mg/kg/day produced no effects on maternal body weight, litter size, or foetal body weight. Triclopyr does not appear to cause reproductive toxicity.

Teratogenic effects: Pregnant rats given moderate to high doses of 50, 100, and 200 mg/kg/day on days 6 to 15 of gestation had offspring with mild foetotoxicity, but no birth defects. These data suggest that Triclopyr is not teratogenic.

Mutagenic effects: Triclopyr is non-mutagenic in bacterial and cytogenetic assay systems. Based on these data, Triclopyr is unlikely to be mutagenic.

Carcinogenic effects: Rats and mice fed oral doses of Triclopyr at 3 to 30 mg/kg/day for 2 years showed no carcinogenic response. Based on these data, Triclopyr is unlikely to be carcinogenic.

Organ toxicity: Organs affected by exposure to Triclopyr include the kidneys and liver.

Fate in humans and animals: Data from animal studies indicate that Triclopyr is rapidly eliminated via the urine as the unchanged parent compound. At higher oral doses, some Triclopyr may be eliminated through the faeces as the absorption capacity of the intestine is exceeded. Reported half-lives for elimination of Triclopyr from mammals are 14 hours (dog) and <24 hours (monkeys).

Section 12 - Ecological Information

This product is biodegradable. It will not accumulate in the soil or water or cause long-term problems.

Effects on birds: Triclopyr is slightly to practically nontoxic to birds. The LD₅₀ of the parent compound in the mallard duck is 1698 mg/kg, while the formulated compounds are of lower toxicity. The LC₅₀ in bobwhite quail and Japanese quail fed Triclopyr for 8 days are 2935 ppm and 3278 ppm, respectively.

Effects on aquatic organisms: The parent compound and amine salt are practically nontoxic to fish. The compound is practically nontoxic to the aquatic invertebrate *Daphnia magna*, a water flea, with a reported LC₅₀ for the amine salt of 1170 mg/L. The ester formulation has reported 96-hour LC₅₀ values of 0.74 mg/L and 0.87 mg/L in the rainbow trout and bluegill sunfish, respectively. The compound has little if any potential to accumulate in aquatic organisms.

Effects on other organisms: The compound is nontoxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: In natural soil and in aquatic environments, the ester and amine salt formulations rapidly convert to the acid, which in turn is neutralised to a relatively nontoxic salt. It is effectively degraded by soil microorganisms and has a moderate persistence in soil environments.

Breakdown in water: Triclopyr is not readily hydrolysed at pH 5 to 9. Hydrolysis of the ester and the amine salt occurs rapidly and results in formation of Triclopyr. Reported half-lives in water are 2.8 to 14.1 hours, depending on season and depth of water.

Breakdown in vegetation: Triclopyr is readily translocated throughout a plant after being taken up by either roots or the foliage. The estimated half-life in above ground drying foliage as in a forest over story is 2 to 3 months.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SAFETY DATA SHEET

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredient: Triclopyr is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document 'Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice' (December 2011)

SAFETY DATA SHEET